

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	794	(save or saving or store or storing) with (cookies)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 12:08
L2	1787	(save or saving or store or storing) with (cookies or cookie)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 13:40
L3	4920	save with ((shut adj down) or failure or interrupt or interruption or (low adj voltage) or (loss) or (shuts adj down) or (shutting adj down))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 13:32
L4	11	3 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 12:12
L5	0	2 same 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 12:12
L6	34826	(save or saving or store or storing) with ((shut adj down) or failure or interrupt or interruption or (low adj voltage) or (loss) or (shuts adj down) or (shutting adj down))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 12:15
L7	48	2 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 12:16
L8	37	7 not 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 12:16

L9	110830	((shut adj down) or (shuts adj down) or (shutting adj down))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 13:42
L10	0	2 with 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 13:33
L11	6	2 same 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 13:33
L12	55591	(save or saving or store or storing) with (channel or (line near3 communication))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 14:00
L13	71	9 same 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 13:42
L14	24	9 with 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 13:42
L15	24	12 with 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 13:42
L16	47	13 not 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 14:04

L17	16	(US-20030107926-\$ or US-20050015647-\$ or US-20030163812-\$).did. or (US-6853292-\$ or US-6876469-\$ or US-4527255-\$ or US-6724668-\$ or US-6084906-\$ or US-6222888-\$ or US-6128348-\$ or US-5907684-\$ or US-5729763-\$ or US-6260155-\$ or US-6681396-\$).did. or (US-3270325-\$).did. or (JP-11134270-\$).did.	US-PGPUB; USPAT; USOCR; JPO	AND	ON	2005/07/07 14:04
L18	0	16 and(smart adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 14:05
L19	16	16 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 14:06
L20	46	(US-20020011516-\$ or US-20020035700-\$ or US-20020087633-\$ or US-20020112171-\$ or US-20020194423-\$ or US-20030033155-\$ or US-20030056218-\$ or US-20040133793-\$ or US-20040221094-\$ or US-20020059651-\$ or US-20020006045-\$ or US-20010017781-\$).did. or (US-3609709-\$ or US-4631661-\$ or US-4639864-\$ or US-4650976-\$ or US-4812677-\$ or US-4964011-\$ or US-5634000-\$ or US-5721930-\$ or US-5799081-\$ or US-5847371-\$ or US-5928368-\$ or US-5987438-\$ or US-6222924-\$ or US-6260111-\$ or US-6264108-\$ or US-6421754-\$ or US-6427140-\$ or US-6480935-\$ or US-6536671-\$ or US-6643209-\$ or US-6675385-\$ or US-6718535-\$ or US-6820208-\$ or US-5978855-\$ or US-6466981-\$ or US-6741853-\$). did. or (US-6134592-\$ or US-6853292-\$ or US-6681396-\$). did. or (FR-2653948-\$).did. or (GB-2326129-\$ or US-6092724-\$ or JP-2002271971-\$ or JP-10322932-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	AND	ON	2005/07/07 14:53

L21	20	20 and channel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 15:01
L22	44	20 and (channel or failure or power or (shut adj down) or (shuts adj down) or (shutting adj down))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 15:05
L23	18	20 and (channel and (failure or power or (shut adj down) or (shuts adj down) or (shutting adj down)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 17:26
L24	1810	725/131,133,139,141,151,153.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 17:27
L25	1263	714/5,14,24.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 17:27
L26	584	326/9,10,14.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 17:28
L27	0	24 AND 25 AND 26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 17:28
L28	0	24 AND 25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 17:28

L29	0	24 AND 26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 17:28
L30	52595	miura	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 17:42
L31	121	30 and rectification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 17:42
L32	67	31 and power	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 17:42
L33	2	31 and alarm and signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/07 17:43
S1	0	"09924757"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/30 17:29
S2	1	"09/924757"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/30 17:30
S3	1260	714/5,14,24.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/30 17:30

S4	584	326/9,10,14.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/30 17:30
S5	5	S3 S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/30 17:39
S6	1839	S3 or S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 17:39
S7	34297	fail near3 (safe or safety or (shut adj down))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 12:16
S8	142449	power near3 (fail or failure or loss or lost or interrupt or interruption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 17:44
S9	5205	S7 S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/30 17:44
S10	34	S9 S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/30 17:45
S11	33	S10 not S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/06/30 17:45

S12	7883	(smart adj card) with (processor or processing or computing or "IC" or (integrated adj circuit) or controller or controls)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 18:36
S13	1220	(smart adj card) with ((insert or insertion or slide or inside or enter) with (slot or receptacle or device or apparatus or unit or (set adj top) or receiver or receiving))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 12:01
S14	681	S12 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 18:34
S15	0	S14 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 18:35
S16	8422	S12 or S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 18:35
S17	0	S16 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 18:35
S18	143372	((smart adj card) or ICC or ((integrated adj circuit) adj card) or ((micro adj (processor or processing)) adj card)) with (processor or processing or computing or "IC" or (integrated adj circuit) or controller or controls) or SIM or ((subscriber adj identity) adj module)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 18:45
S19	42648	(smart adj card) or ICC or ((integrated adj circuit) adj card) or ((micro adj (processor or processing)) adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/30 18:44

S20	52107	credit adj card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 12:03
S21	100362	(processor adj card) or (processing adj card) or (memory adj card) or (rfid adj card) or (programmable adj card) or (smart adj card) or ICC or "integrated circuit card" or ((micro adj processor) adj card) or ((micro adj processing) adj card) or (SIM with card) or("subscriber identity module" with card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 13:04
S22	1736279	(insert or insertion or slide or inside or enter) with (slot or receptacle or receiver or device or apparatus or unit or STB or (set adj top) or receiving or slit or recess or stall or bay or holder or tray or compartment or cubby or cubbyhole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 12:15
S23	3957	S21 with S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 12:22
S24	43287	fail with(safe or safety or (shut adj down))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 12:16
S25	142449	power near3 (fail or failure or loss or lost or interupt or interruption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 12:18
S26	6411	S24 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 12:18
S27	35	S23 and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 12:18

S28	5539	S21 same S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 12:23
S29	43	S26 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 12:23
S30	107869	(processor adj card) or (processing adj card) or (memory adj card) or (rfid adj card) or (programmable adj card) or (smart adj card) or ICC or "integrated circuit card" or ((micro adj processor) adj card) or ((micro adj processing) adj card) or (SIM with card) or ("subscriber identity module" with card) or (PCMCIA) or (PCMCIA adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 17:19
S31	4415	S30 with S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 13:05
S32	6219	S30 same S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 13:06
S33	43	S32 and S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 13:06
S34	0	S33 not S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 13:06
S35	2	S32 same (S24 or S25)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 13:09

S36	1	S35 not S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 13:12
S37	2	"6169890".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 13:12
S38	2	S30 S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 13:14
S39	0	S38 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 13:15
S40	0	S38 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 13:15
S41	0	S38 and (power with fail\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 13:15
S42	69	S30 with (shut adj down)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 13:17
S43	5	S42 and ((shut adj down) same (power near4 fail\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 13:24

S44	69	S42 and ((shut adj down) or(power near4 fault) or (fail near3 safe) or (fail near3 safety) or (power near4 fail\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 17:26
S45	3	"09796847"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 13:35
S46	7	("4621190" "5451762" "5634000" "5920726" "5987438").PN. OR ("6536671").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2005/07/01 13:47
S47	137638	(processor adj card) or (processing adj card) or (memory adj card) or (rfid adj card) or (programmable adj card) or (smart adj card) or ICC or "integrated circuit card" or ((micro adj processor) adj card) or ((micro adj processing) adj card) or (SIM with card) or("subscriber identity module" with card)or (PCMCIA) or (PCMCIA adj card) or (ic adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 18:31
S48	107869	(processor adj card) or (processing adj card) or (memory adj card) or (rfid adj card) or (programmable adj card) or (smart adj card) or ICC or "integrated circuit card" or ((micro adj processor) adj card) or ((micro adj processing) adj card) or (SIM with card) or("subscriber identity module" with card)or (PCMCIA) or (PCMCIA adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 17:20
S49	1736279	(insert or insertion or slide or inside or enter) with (slot or receptacle or receiver or device or apparatus or unit or STB or (set adj top) or receiving or slit or recess or stall or bay or holder or tray or compartment or cubby or cubbyhole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 17:23
S50	8469	S47 same S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 17:23

S51	525	S50 and ((shut adj down) or(power near4 fault) or (fail near3 safe) or (fail near3 safety) or (power near4 fail\$4) or (back adj up) or (shuts adj down))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 18:25
S52	1260	714/5,14,24.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 17:30
S53	584	326/9,10,14.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 17:30
S54	1839	S52 or S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 17:43
S55	34297	fail near3 (safe or safety or (shut adj down))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 17:30
S56	142449	power near3 (fail or failure or loss or lost or interrupt or interruption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 17:30
S57	5205	S55 S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 17:30
S58	34	S57 S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 17:30

S59	100362	(processor adj card) or (processing adj card) or (memory adj card) or (rfid adj card) or (programmable adj card) or (smart adj card) or ICC or "integrated circuit card" or ((micro adj processor) adj card) or ((micro adj processing) adj card) or (SIM with card) or("subscriber identity module" with card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 17:30
S60	43287	fail with(safe or safety or (shut adj down))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 17:30
S61	142449	power near3 (fail or failure or loss or lost or interupt or interruption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 17:35
S62	6411	S60 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 17:30
S63	5539	S59 same S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 17:30
S64	43	S62 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 17:30
S65	69	S48 with (shut adj down)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 17:30
S66	69	S65 and ((shut adj down) or(power near4 fault) or (fail near3 safe) or (fail near3 safety) or (power near4 fail\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 17:30

S67	471	S51 not (S66 or S58 or S64)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 17:41
S68	2	S67 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 17:32
S69	2	S67 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 17:31
S70	1839	S52 or S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 17:32
S71	145759	(power or AC or (alternating adj current)) near3 (fail or failure or loss or lost or interrupt or interruption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 18:59
S72	6505	S60 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 17:37
S73	43	S50 and S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 17:39
S74	0	S73 not (S66 or S58 or S64)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 18:28

S75	471	S67 not S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 18:16
S76	13108	S52 or S53 or "725"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 17:43
S77	11	S75 and S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 17:43
S78	4189	detect with ((power or AC or (alternating adj current)) near3 (fail or failure or loss or lost or interrupt or interruption))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 18:23
S79	153	S47 and S78	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 18:28
S80	12305	(detect or detecting or sense or senses or sensing or sensor or detector or detection) with ((power or AC or (alternating adj current)) near3 (fail or failure or loss or lost or interrupt or interruption))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 19:01
S81	325	S47 and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 18:22
S82	288	S81 and ((shut adj down) or(power near4 fault) or (fail near3 safe) or (fail near3 safety) or (power near4 fail\$4) or (back adj up) or (shuts adj down) or protection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 18:28

S83	172	S81 not S79	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 18:28
S84	297	S81 not (S66 or S58 or S64)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 18:28
S85	325	S81 not S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 18:29
S86	297	S84 not S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 18:29
S87	33475	S47.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 18:33
S88	57802	S47.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 18:34
S89	35	S81 and (S87 or S88)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 18:34
S90	5280	S80.ti. or S80.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 18:45

S91	15	S89 and S90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 18:46
S92	156377	(power or main or AC or (alternating adj current)) near3 (fail or failure or loss or lost or interrupt or interruption)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 12:11
S93	13222	(detect or detecting or sense or senses or sensing or sensor or detector or detection) with ((power or main or AC or (alternating adj current)) near3 (fail or failure or loss or lost or interrupt or interruption))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/01 19:03
S94	339	S93 and S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 19:05
S95	60	S93 and S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/01 19:05
S96	137756	(processor adj card) or (processing adj card) or (memory adj card) or (rfid adj card) or (programmable adj card) or (smart adj card) or ICC or "integrated circuit card" or ((micro adj processor) adj card) or ((micro adj processing) adj card) or (SIM with card) or ("subscriber identity module" with card) or (PCMCIA) or (PCMCIA adj card) or (ic adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/04 15:46
S97	14	(save or saving or stor or storing) with(channel with chat)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 16:00
S98	41	(save or saving or store or storing) with(channel with chat)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 17:11

S99	0	S98 same S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 15:56
S10 0	5	S98 and S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 15:57
S10 1	3	chat with (smart adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 16:01
S10 2	45725	(save or saving or store or storing) with(preference or selection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 16:18
S10 3	10	(thin adj client) same ((save or store or saving or storing) with (preferences or URL or address or channel or locator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 17:07
S10 4	11	(thin adj client) same ((save or store or saving or storing) with (IP or URL or address or channel or locator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 16:51
S10 5	11	(thin adj client) same ((save or store or saving or storing) with (IP or URL or address or channel or (uniform adj resource)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 16:58
S10 6	0	S105 not S104	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 16:52

S10 7	109	(thin adj client) same ((access or accesses or conect or connection or connecting) with (IP or URL or address or channel or (uniform adj resource)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 16:58
S10 8	19	S107 and (URL with (thin adj client))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 16:59
S10 9	30	(save or saving or store or storing) with(favorite near3 (web adj site))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 17:16
S11 0	1102	(cookie or cache or save or saving or store or storing) with((current or currently or present or presently or viewed or viewing) with ((web adj site) or URL or (web adj page)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 17:22
S11 1	116	S96 and S110	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 17:20
S11 2	29	S110 and (smart adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 17:21
S11 3	45	(cookie or cache or save or saving or store or storing) with(((current or currently or present or presently) with (visited or visiting or viewed or viewing)) with ((web adj site) or URL or (web adj page)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 19:17
S11 4	1	(US-20020087633-\$.did.	US-PGPUB	AND	ON	2005/07/04 18:00
S11 5	1	S114 and ("current viewing")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 18:01

S11 6	268	(smart adj card) same (power near4 (fail or detection or detector or warn or warns or warning or signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 19:23
S11 7	1840	(smart adj card) and (power near4 (fail or detection or detector or warn or warns or warning or signal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 19:32
S11 8	21	S117 and ((shut adj down) with (processor or CPU or procedure or protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 19:32
S11 9	594	(smart adj card) and (power near4 (fail or detection or detector or warn or warns or warning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 19:37
S12 0	9	S119 and ((shut adj down) with (processor or CPU or procedure or protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 19:32
S12 1	79	(smart adj card) and (mains near4 (fail or detection or detector or warn or warns or warning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 19:39
S12 2	41	(smart adj card) and (AC near4 (fail or detection or detector or warn or warns or warning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 19:40
S12 3	43	(smart adj card) and (("AC" or (alternating adj current)) near4 (fail or detection or detector or warn or warns or warning))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/04 19:42
S12 4	2	(US-20030056218-\$).did. or (US-6675385-\$).did.	US-PGPUB; USPAT	AND	ON	2005/07/05 11:30
S12 5	2	(US-20030056218-\$).did. or (US-6675385-\$).did.	US-PGPUB; USPAT	AND	ON	2005/07/05 11:32

S12 6	0	S125 and smart card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/05 11:37
S12 7	35	(US-20020011516-\$ or US-20020035700-\$ or US-20020087633-\$ or US-20020112171-\$ or US-20020194423-\$ or US-20030033155-\$ or US-20030056218-\$ or US-20040133793-\$ or US-20040221094-\$).did. or (US-3609709-\$ or US-4631661-\$ or US-4639864-\$ or US-4650976-\$ or US-4812677-\$ or US-4964011-\$ or US-5634000-\$ or US-5721930-\$ or US-5799081-\$ or US-5847371-\$ or US-5928368-\$ or US-5987438-\$ or US-6222924-\$ or US-6260111-\$ or US-6264108-\$ or US-6421754-\$ or US-6427140-\$ or US-6480935-\$ or US-6536671-\$ or US-6643209-\$ or US-6675385-\$ or US-6718535-\$ or US-6820208-\$).did. or (FR-2653948-\$).did. or (GB-2326129-\$ or US-6092724-\$). did.	US-PGPUB; USPAT; EPO; DERWENT	AND	ON	2005/07/05 11:38
S12 8	8251	S127 and "smart card" and (set adj top) or STB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/05 11:39
S12 9	3	S127 and "smart card" and ((set adj top) or STB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/05 11:58
S13 0	8251	S127 and (set adj top) or STB	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/05 11:58
S13 1	5	S127 and ((set adj top) or STB)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/05 11:59

S13 2	2	S131 not S129	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/05 12:01
S13 3	0	S132 and (smart adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/05 12:02
S13 4	1	S132 and (IC adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/05 12:03
S13 5	129880	(set adj top) or (broadcast near3 receiver) or (broadcasting adj receiver) or (STB) or (television adj receiver) or (PCTv) or (cable adj converter) or (cable adj box) or (TV adj receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/05 12:07
S13 6	137866	(processor adj card) or (processing adj card) or (memory adj card) or (rfid adj card) or (programmable adj card) or (smart adj card) or ICC or "integrated circuit card" or ((micro adj processor) adj card) or ((micro adj processing) adj card) or (SIM with card) or ("subscriber identity module" with card) or (PCMCIA) or (PCMCIA adj card) or (ic adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 12:07
S13 7	1737380	(insert or insertion or slide or inside or enter) with (slot or receptacle or receiver or device or apparatus or unit or STB or (set adj top) or receiving or slit or recess or stall or bay or holder or tray or compartment or cubby or cubbyhole)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 12:09
S13 8	6389	S136 with S137	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/05 12:10

S13 9	99	S135 same S138	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/05 12:42
S14 0	576954	(power or "mains" or AC or (alternating adj current)) near3 (fail or failure or loss or lost or interrupt or interruption or detection or detector or warning or signal or outage or disrupt or disruption or regulate or regulator or monitor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 12:14
S14 1	10	S139 and S140	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 12:27
S14 2	6389	S137 with S136	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/05 12:27
S14 3	16	S139 and (AC)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/05 12:28
S14 4	10	S139 and (power with (detector or warning or signal or detection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/05 16:03
S14 5	1	S139 and ((shut adj down) with (contolled or controllable or organized or orderly or managed or procedure or protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/05 12:49
S14 6	3	S139 and (power with (fail or failure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/05 12:45

S14 7	46	S135 and ((shut adj down) with (contolled or controllable or organized or orderly or managed or procedure or protocol))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/05 12:50
S14 8	12	S147 and S136	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/05 15:36
S14 9	26	(pre adj rectification) or (pre-rectified)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/05 16:00
S15 0	10	S149 and detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/05 16:02
S15 1	16	S149 not S150	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/05 15:47
S15 2	1225	((before near3 rectification) or (before near3 rectified)) and (power or supply or energy or AC or (alternating adj current))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/05 16:01
S15 3	612	S152 and detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/05 16:02
S15 4	364	S152 and (power with (detector or warning or signal or detection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/05 16:03

S15 5	130	S152 and (power with (detector or warning or detection))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/06 08:28
S15 6	1	JP 10322932A	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/06 08:34
S15 7	79963	OKI ELECTRIC	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/06 08:35
S15 8	122	S157 and (ac same (detection or detector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/06 08:36
S15 9	101	S157 and (ac with(detection or detector or detected))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/06 08:36
S16 0	14	S159 and rectification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/06 08:36
S16 1	2	"5712555"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/06 13:08
S16 2	0	98/33108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/06 13:08

S16 3	2	"9833108"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/06 13:09
S16 4	13	"1004979"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/06 13:10
S16 5	21	"0312057"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/06 13:11
S16 6	3	"0912057"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/06 13:12
S16 7	0	"0912057a2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/06 13:13
S16 8	0	ep near "0912057"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/06 13:14
S16 9	0	ep near "09/12057"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/06 13:14
S17 0	0	ep near "09-12057"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/06 13:14

S17 1	1222	yoshida near osamu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/06 13:15
S17 2	1217	yoshida adj osamu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/06 13:15
S17 3	20	S171 and broadcast	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2005/07/06 13:15